

## APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office DEC 17 1962

Returned to applicant for correction.....

Corrected application filed.....

Map filed DEC 21 1962

The applicant Samuel Josephson  
 of Las Vegas, County of Clark,  
 State of Nevada, hereby make application for permission to appropriate the public  
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
 tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground source - Las Vegas Artesian  
Name of stream, lake or other source.  
Basin, Clark County, Nevada.

2. The amount of water applied for is 0.039 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....acre-feet

3. The water to be used for Commercial (Shopping Center) and Domestic Purposes.  
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 11. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: Within the Southwest Quarter  
(SW $\frac{1}{4}$ ) of the Southwest Quarter (SW $\frac{1}{4}$ ) of Section 22, Township 21 South,  
Range 61 East, M.D.B. & M. or at a point from which the Southwest corner  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
of said Section 22 bears South 40°19'12" West a distance of 1255.95 feet.  
It should be stated. (SW $\frac{1}{4}$ )

6. Place of use With the Southwest Quarter/ of the Southwest Quarter (SW $\frac{1}{4}$ ) and  
Describe by legal subdivision, if on unsurveyed land it should be so stated.  
the Southeast Quarter (SE $\frac{1}{4}$ ) of the Southwest Quarter (SW $\frac{1}{4}$ ) of Section  
22, Township 21 South, Range 61 East, M.D.B. & M.

7. Use will begin about Jan. 1st and end about Dec. 31st, of each year.  
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans  
 and specifications of your diversion or storage works.) well, pump, pressure tank and  
approximately 1300 feet of 6" AC pipe.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$18,000.00
10. Estimated time required to construct works..... 2 years
11. Remarks..Water will be used to serve a 10 acre commercial shopping center  
...consisting of variety of retail establishments. Water will not be sold to  
...individual tenants but included within rental fees charged the tenant.  
Water will be used for culinary purposes and domestic consumption. Limited  
landscaping will be irrigated.

Applicants/ Samuel Josephson

By.....

Compared.....lv/hs.....hs/lb

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation when water is available from the Las Vegas Valley Water District, and is limited to what the well will produce but not to exceed 0.039 c.f.s. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.039 cubic feet per second

Actual construction work shall begin on or before.....October 3, 1963

Proof of commencement of work shall be filed before.....November 3, 1963

Work must be prosecuted with reasonable diligence and be completed on or before.....October 3, 1964

Proof of completion of work shall be filed before.....November 3, 1964

Application of water to beneficial use shall be made on or before.....October 3, 1965

Proof of the application of water to beneficial use shall be filed on or before.....November 3, 1965

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....Sept. 16, 1964

Completion of work filed.....March 15, 1965

Proof of beneficial use filed.....OCT 16 1967

Cultural map filed.....

Certificate No.....Issued.....

Recorded.....Bk.....Page.....

County Recorder

WITNESS MY HAND AND SEAL this 3rd day

of April 1963

Elmer J. DeBevoise  
State Engineer.